

Claims

Sub A2

1. A method of assaying for a preferred enzyme comprising:

- a) providing a swatch of material comprising a piece of material and a stain;
- b) fixing the stain to the material;
- c) applying an enzyme to the swatch; and
- d) incubating the swatch and enzyme.

2. The method of claim 1, further comprising measuring the degree of removal of the stain from the material.

3. The method of claim 1, wherein the enzyme is selected from the group consisting of a protease, a cellulase, an amylase, a laccase, and a lipase.

4. The method of claim 1, wherein the material is selected from the group consisting of a fabric, plastic, glass or ceramic.

5. The method of claim 1, wherein the stain is selected from the group consisting of blood, milk, ink, grass, spinach, gravy, chocolate, egg, cheese, clay, pigment, oil, and combinations thereof.

6. The method of claim 1, wherein the enzyme is applied to the swatch in combination with a detergent ingredient.

7. The method of claim 1, further comprising agitating the swatch and enzyme during incubation.

Sub A3

8. A method of assaying for a preferred detergent composition comprising:

- a) providing a swatch of material comprising a piece of material and a stain;
- b) fixing the stain to the material;
- c) applying a detergent composition to the swatch; and
- d) incubating the swatch and detergent composition.

9. The method of claim 8, further comprising measuring the degree of removal of the stain from the material.

10. The method of claim 8, wherein the material is selected from the group consisting of a fabric, plastic, glass, or ceramic.
11. The method of claim 8, wherein the stain is selected from the group consisting of blood, milk, ink, grass, spinach, gravy, chocolate, egg, cheese, clay, pigment, oil, and combinations thereof.
12. The method of claim 8, wherein the detergent composition is applied to the swatch in combination with an enzyme.
13. The method of claim 12, wherein the enzyme is selected from the group consisting of a protease, a cellulase, an amylase, a laccase, and a lipase.
14. The method of claim 8, further comprising agitating the swatch and detergent composition during incubation.

15. A method of determining the catalytic efficiency of an enzyme comprising:

- providing a swatch of material comprising a piece of material and a stain;
- applying the enzyme to the swatch;
- incubating the swatch and enzyme;
- removing the swatch or supernatant; and
- measuring a constituent of the stain.

16. The method of claim 15, wherein the enzyme is selected from the group consisting of a protease, a cellulase, an amylase, a laccase, and a lipase.
17. The method of claim 15, wherein the material is selected from the group consisting of a fabric, plastic or ceramic.
18. The method of claim 15, wherein the stain is selected from the group consisting of blood, milk, ink, grass, gravy, chocolate, egg, cheese, clay, pigment, oil, and combinations thereof.

19. The method of claim 15, wherein the enzyme is applied to the swatch in combination with a detergent ingredient.
20. The method of claim 15, further comprising agitating the swatch and enzyme during incubation.
21. The method of claim 15, wherein the constituent is ink from a BMI stain.
22. The method of claim 15, wherein the constituent is labeled blood from a BMI stain.
23. The method of claim 15, wherein the constituent is in the supernatant.
24. The method of claim 15, wherein the constituent is measured by absorbance of the constituent.
25. The method of claim 15, wherein the constituent is measured by the fluorescence of the constituent.

add  
A'